

NOAS[®]



2025
ENGLISH

ABOUT US

NOAS was established in Karaköy, Istanbul in 2010 to meet Turkey's LED lighting inquiries. As the pioneer of lighting products production in Turkey, it started production in Beylidüzü Organized Industrial Zone in 2016.

As NOAS, we have become one of Turkey's leading manufacturers of lighting products thanks to our investments and innovative work over the years. Today, we export to more than 35 countries on 5 continents and serve nearly 300 customers. With more than 500 employees, 30,000 square meters of production and storage space and an annual production capacity of 50 million products, we are among the leading companies in Turkey's lighting industry.

With our innovative approach, we are rapidly developing our sales network by increasing our new and special product portfolio every year. As we have done for many years, we aim to maintain our leading brand position with our increasing investment plans, new projects, products and growing business

THIS IS THE FACTORY WHERE TURKEY'S LIGHT SHINES BRIGHTLY!



OUR PRODUCTION LINE

- ✓ LED Bulb Production Line
- ✓ LED Strip Production Line
- ✓ Plastic Injection Line
- ✓ SMT LED Assembly Line
- ✓ Ar-Ge





GLOBAL SCALED LABOUR FORCE

NOAS[®]

www.noas.com.tr

TSE CERTIFIED LED BACKLIGHT

NEW

60x60
FELIX
LiFud DRIVER

Power (w)	Luminous (lm)	Effectivity Factor (lm/w)	Product Dimension (mm)
36W	3600lm	100lm/w	595x595x65mm

YL18-6536

6500K 4000K 3200K

NEW

30x30
ASTOR
LiFud DRIVER

Power (w)	Luminous (lm)	Effectivity Factor (lm/w)	Product Dimension (mm)
12W	1200lm	100lm/w	295x295x65mm

YL18-6512

6500K 4000K 3200K

TSE CERTIFIED LED ETANJ LED BULB

NEW

ETANJ SALINA PRO

OSRAM DRIVER

3 YEAR WARRANTY

TSE

50,000h Life

IP65

EN EC

Power (W)	Luminous (lm)	Effectivity Fctor (lm/W)	Product Dimension (mm)
40W	3800lm	95lm/W	1165x74x74mm

Opal Diffuser

1-10V

DALI

Emergency lighting 21hours

YL98-6540

6500K 4000K 3200K

NEW

9W LED BULB

3 YEAR WARRANTY

TSE

IP20

50,000h Life

Power (W)	Luminous (lm)	Effectivity Factor (lm/W)
9W	900lm	100lm/W

YL95-6509

6500K 4000K 3200K

LED SLIM PANEL

SLIM PANEL
YL10-0300

3W
6500K 4000K 3200K

IP20 **220 V**

270 LUMEN **7,2 kg**

100 Pcs. **48x32x20,5**

Ø 83mm
17mm
Ø 68mm
Hole Diameter



SLIM PANEL
YL10-0600

6W
6500K 4000K 3200K

IP20 **220 V**

540 LUMEN **12 kg**

100 Pcs. **64,5x32x27**

Ø 118mm
17mm
Ø 105mm
Hole Diameter



SLIM PANEL
YL10-0900

9W
6500K 4000K 3200K

IP20 **220 V**

810 LUMEN **10,3 kg**

60 Pcs. **48x33,5x32,5**

Ø 146mm
17mm
Ø 132mm
Hole Diameter



SLIM PANEL
YL10-1200

12W
6500K 4000K 3200K

IP20 **220 V**

1080 LUMEN **8,8 kg**

40 Pcs. **36,5x66x19**

Ø 165mm
17mm
Ø 154mm
Hole Diameter



SLIM PANEL
YL10-1500

15W
6500K 4000K 3200K

IP20 **220 V**

1350 LUMEN **11,2 kg**

40 Pcs. **40x66x22,5**

Ø 187mm
17mm
Ø 175mm
Hole Diameter



SLIM PANEL
YL10-1800

18W
6500K 4000K 3200K

IP20 **220 V**

1620 LUMEN **14 kg**

40 Pcs. **46x62x24,5**

Ø 221mm
17mm
Ø 204mm
Hole Diameter



SLIM PANEL (BLACK)
YL10-0600-S

6W
6500K 4000K 3200K

IP20 **220 V**

540 LUMEN **12 kg**

100 Pcs. **64,5x32x27**

Ø 118mm
17mm
Ø 105mm
Hole Diameter



SLIM PANEL (BLACK)
YL10-1800-S

18W
6500K 4000K 3200K

IP20 **220 V**

1620 LUMEN **14 kg**

40 Pcs. **46x62x24,5**

Ø 221mm
17mm
Ø 204mm
Hole Diameter



BLUE+WHITE PANEL
YL11-0300

3+3W
6500K BLUE

IP20 **220 V**

270 LUMEN **10,7 kg**

100 Pcs. **57,5x33,5x31**

Ø 105mm
22mm
Ø 68mm
Hole Diameter



BLUE+WHITE PANEL
YL11-0600

6+3W
6500K BLUE

IP20 **220 V**

540 LUMEN **17,4 kg**

100 Pcs. **77,3x30x38,5**

Ø 145mm
22mm
Ø 105mm
Hole Diameter



LED SURFACE MOUNTED PANEL

IP20 **220 V**

18W
6500K 3200K

1620 LUMEN **8,5 kg**

20 Pcs. **45x36,5x24**

SURFACE MOUNTED ROUND PANEL
YL14-1800



Ø 210 mm
28 mm

IP20 **220 V**

18W
6500K 3200K

1620 LUMEN **10,6 kg**

20 Pcs. **45x36,5x24**

SURFACE MOUNTED SQUARE PANEL
YL15-1800



210 mm
28 mm

IP20 **220 V**

24W
6500K 3200K

2160 LUMEN **10,2 kg**

20 Pcs. **60x34,5x30,5**

SURFACE MOUNTED ROUND PANEL
YL14-2410



Ø 285 mm
28 mm

IP20 **220 V**

24W
6500K 3200K

2160 LUMEN **12,1 kg**

20 Pcs. **60x34,5x30,5**

SURFACE MOUNTED SQUARE PANEL
YL15-2400



285 mm
28 mm

IP20 **220 V**

18W
6500K 3200K

1620 LUMEN **8,5 kg**

20 Pcs. **45x36,5x24**

SURFACE MOUNTED ROUND PANEL (BLACK)
YL14-1800-S



Ø 210 mm
28 mm

IP20 **220 V**

18W
6500K 3200K

1620 LUMEN **10,6 kg**

20 Pcs. **45x36,5x24**

SURFACE MOUNTED SQUARE PANEL (BLACK)
YL15-1800-S



210 mm
28 mm

IP20 **220 V**

24W
6500K 3200K

2160 LUMEN **10,2 kg**

20 Pcs. **60x34,5x30,5**

SURFACE MOUNTED ROUND PANEL (BLACK)
YL14-2410-S



Ø 285 mm
28 mm

IP20 **220 V**

24W
6500K 3200K

2160 LUMEN **12,1 kg**

20 Pcs. **60x34,5x30,5**

SURFACE MOUNTED SQUARE PANEL (BLACK)
YL15-2400-S



285 mm
28 mm

IP20 **220 V**

20W
6500K

1830 LUMEN **7,5 kg**

20 Pcs. **46x31,5x24,5**

SURFACE MOUNTED WITH SENSOR (WHITE)
YL14-1810



Ø 220 mm
23 mm

NIGHT/DAY MODE
ADJUSTABLE DIMENSIONS

IP20 **220 V**

20W
6500K

1830 LUMEN **7,5 kg**

20 Pcs. **46x31,5x24,5**

SURFACE MOUNTED WITH SENSOR (BLACK)
YL14-1810-S



Ø 220 mm
23 mm

NIGHT/DAY MODE
ADJUSTABLE DIMENSIONS

IP20 **220 V**

18+6W
6500K BLUE

1620 LUMEN **13,1 kg**

20 Pcs. **52x40x27,5**

BLUE+WHITE PANEL
YL15-1800-R



245 mm
23 mm

LED PLUS+ ADJUSTABLE PANEL LED SURFACE MOUNTED DAMP DAMP LUMINAIRE

IP20 PLUS+ ADJUSTABLE PANEL
YL12-1000

10W
6500K 3200K

220 V

1080 LUMEN

60 Pcs.

42,5x33x43

5 kg

ø85 mm Hole Diameter



IP20 PLUS+ ADJUSTABLE PANEL
YL12-1800

18W
6500K 3200K

220 V

2160 LUMEN

40 Pcs.

53x26x28

4,5 kg

ø120 mm Hole Diameter



IP20 PLUS+ ADJUSTABLE PANEL
YL12-2400

24W
6500K 3200K

220 V

2880 LUMEN

20 Pcs.

36x25x36

3,7 kg

ø170 mm Hole Diameter



IP20 PLUS+ ADJUSTABLE PANEL
YL12-3600

36W
6500K 4000K 3200K

220 V

4320 LUMEN

20 Pcs.

47x25,5x47,5

5,5 kg

ø220 mm Hole Diameter



IP20 CRYSTAL SURFACE MOUNTED PANEL
YL14-1224

24W
ADJUSTABLE COLOR OPTIONS
6500K 4000K 3200K

220 V

2400 LUMEN

40 Pcs.

39x39x27,5

40 mm

180 mm

180 mm

HIGH LUMEN



IP20 CRYSTAL SURFACE MOUNTED PANEL
YL14-1236

36W
ADJUSTABLE COLOR OPTIONS
6500K 4000K 3200K

220 V

3600 LUMEN

20 Pcs.

23,5x47x27,5

40 mm

230 mm

230 mm

HIGH LUMEN



IP44 RIGEL WATERPROOF ARMATURE
YL13-1024

24W
6500K

220 V

2160 LUMEN

40 Pcs.

43,5x35x45,5

9,75 kg

90 mm

210 mm



IP44 VEGA WATERPROOF ARMATURE
YL13-0024

24W
6500K

220 V

2160 LUMEN

40 Pcs.

72x35x45,5

12,75 kg

170 mm

170 mm



IP44 RIGEL CRYSTAL WATERPROOF ARMATURE
YL14-1024

24W
6500K

220 V

2160 LUMEN

20 Pcs.

25x45x23,5

12 kg

120 mm

220 mm



IP44 VEGA CRYSTAL WATERPROOF ARMATURE
YL14-0024

24W
6500K

220 V

2160 LUMEN

20 Pcs.

45x45x31

13,5 kg

220 mm

220 mm



IP44 ZETA WATERPROOF ARMATURE
YL15-0124

24W
6500K

220 V

2160 LUMEN

20 Pcs.

44x44x29,5

13 kg

215 mm

215 mm



LED BACKLIGHT PANEL CASE

60x60 BACKLIGHT
YL18-5400

40W

IP20 220 V

3600 LUMEN 11,7 kg

6500K 4000K 3200K

10 Pcs. 61,5x36x61,5

595 mm 595 mm 30 mm



30x30 CLIP-IN BACKLIGHT
YL15-2200

22W

IP20 220 V

1980 LUMEN 12,8 kg

6500K 4000K 3200K

30 Pcs. 63x61,5x32,5

300 mm 300 mm 30 mm



60x60 SLIM
YL18-5400-S

40W

IP20 220 V

3600 LUMEN 16,8 kg

6500K 3200K

10 Pcs. 62,5x17,5x6,5

595 mm 595 mm 10 mm



30x60 BACKLIGHT
YL17-2400

24W


IP20 220 V

2160 LUMEN 7,5 kg

6500K 3200K

10 Pcs. 61x35x31,5

595 mm 305 mm 30 mm



60x60 BACKLIGHT SURFACE MOUNTED
YL15-4000

40W

IP20 220 V

5400 LUMEN 16,5 kg

6500K 4000K 3200K

WITH CASE

5 Pcs. 61x61x21

595 mm 595 mm 35 mm




60x60 SURFACE MOUNTED CASE
YL60-6000-Y

YEKPARE

5 Pcs.

600 mm 600 mm




60x60 SURFACE MOUNTED CASE
YL60-6000

DEMONTE

40 Pcs.


600 mm 600 mm



60x60 CLIP-IN CASE
YL60-6001

20 Pcs.

600 mm 600 mm



LED SPOT

IP20 **WHITE+SILVER**
YL38-0511

5W
6500K 3200K
ADJUSTABLE COLOR OPTIONS
6500K 4000K 3200K

220 V

450 LUMEN

200 Pcs.
50x36x41

8,8 kg



Ø 33 mm
Ø 60 mm Hole Diameter

IP20 **BLACK+SILVER**
YL38-0531

5W
6500K 3200K
ADJUSTABLE COLOR OPTIONS
6500K 4000K 3200K

220 V

450 LUMEN

200 Pcs.
50x36x41

8,8 kg



Ø 33 mm
Ø 60 mm Hole Diameter

IP20 **WHITE+GOLD**
YL38-0521

5W
6500K 3200K
ADJUSTABLE COLOR OPTIONS
6500K 4000K 3200K

220 V

450 LUMEN

200 Pcs.
50x36x41

8,8 kg



Ø 33 mm
Ø 60 mm Hole Diameter

IP20 **MERCAN (CHROME)**
YL28-0502

5W
6500K 3200K

220 V

450 LUMEN

200 Pcs.
54,5x48,5x41,5

17,5 kg



Ø 82 mm
Ø 67 mm Hole Diameter

IP20 **MERCAN (WHITE)**
YL28-0500

5W
6500K 3200K

220 V

450 LUMEN

200 Pcs.
54,5x48,5x41,5

17,5 kg



Ø 82 mm
Ø 67 mm Hole Diameter

IP20 **YILDIZ SPOT (CHROME)**
YL94-0151

2W
6500K 3200K BLUE

220 V

180 LUMEN

200 Pcs.
52x27x26

7 kg



Ø 32 mm
Ø 27 mm Hole Diameter

IP20 **YILDIZ SPOT (WHITE)**
YL94-1151

2W
6500K 3200K

220 V

180 LUMEN

200 Pcs.
52x27x26

7 kg



Ø 32 mm
Ø 27 mm Hole Diameter

IP20 **YILDIZ SPOT (BLACK)**
YL94-2151

2W
6500K 3200K

220 V

180 LUMEN

200 Pcs.
52x27x26

7 kg



Ø 32 mm
Ø 27 mm Hole Diameter

IP20 **BULL'S EYE MOVABLE (SATIN)**
YL94-0101


1W
6500K 3200K
BLUE RED
AMBER

220 V

90 LUMEN

200 Pcs.
52x27x26

12,2 kg



Ø 55 mm
Ø 45 mm Hole Diameter

IP20 **BULL'S EYE MOVABLE (BLACK)**
YL94-0201

1W
6500K 3200K

220 V

90 LUMEN

200 Pcs.
52x27x26

12,2 kg



Ø 55 mm
Ø 45 mm Hole Diameter

IP20 **MOBİL SPOT**
YL93-0201

2W
6500K 3200K BLUE

220 V

180 LUMEN

200 Pcs.
37x29,5x31

9,3 kg



Ø 67 mm
Ø 50 mm Hole Diameter

LED CORRIDOR LUMINAIRE WITH SENSOR CURRENT PROTECTED SOCKET

IP20

CORRIDOR LIGHTING WITH SENSOR (WHITE)
YL69-1521-B

1W
6500K 3200K

NEW

220 V

23 LUMEN

100 Pcs.

27x27x28

5 kg

WITH SENSOR

IP20

CORRIDOR LIGHTING WITH SENSOR (BLACK)
YL69-1521-S

1W
6500K 3200K

NEW

220 V

23 LUMEN

100 Pcs.

27x27x28

5 kg

WITH SENSOR

IP20

CORRIDOR LIGHTING WITH SENSOR (SMOKED)
YL69-1521-F

1W
6500K 3200K

NEW

220 V

23 LUMEN

100 Pcs.

27x27x28

5 kg

WITH SENSOR

IP20

CORRIDOR LUMINAIRE WITH SENSOR
YL69-1511-B

1.5W
6500K 3200K
BLUE

220 V

120 LUMEN

50 Pcs.

44x38x19,5

5,2 kg

WITH SENSOR

IP20

CORRIDOR LUMINAIRE WITH SENSOR
YL69-1411-B

1.5W
6500K 3200K
BLUE

220 V

120 LUMEN

50 Pcs.

44x38x19,5

5,2 kg

WITH SENSOR

NEW

CURRENT PROTECTED SOCKET
YL04-0400

4000W

150-280 V

50 Pcs.

61x43,5x25

11,6 kg

918 JOULE

NOAS

WITH SENSOR

NEW

DIGITAL CURRENT PROTECTION SOCKET
YL04-0443

4000W

150-280 V

50 Pcs.

38x25x24,5

13 kg

20A

918 JOULE

LED SCREEN

NOAS

WITH SENSOR

DECORATIVE CASE (EMPTY CASE)

**AMAZON
(BLACK)**
YL60-1660

GU10

50 Pcs.

61,5x26x28,5

8 kg

**AMAZON
(BLACK)**
YL60-1360

GU10

50 Pcs.

61,5x26x28,5

13 kg

**AMAZON
(DUO BLACK)**
YL60-2360

GU10

30 Pcs.

56x38x20,5

13 kg

**AMAZON
(WHITE - BLACK)**
YL60-1661

GU10

50 Pcs.

61,5x26x28,5

8 kg

**AMAZON
(WHITE - BLACK)**
YL60-1361

GU10

50 Pcs.

61,5x26x28,5

13 kg

**AMAZON
(DUO WHITE - BLACK)**
YL60-2361

GU10

30 Pcs.

56x38x20,5

13 kg

**AMAZON
(SATIN)**
YL60-1662

GU10

50 Pcs.

61,5x26x28,5

8 kg

**AMAZON
(SATIN)**
YL60-1362

GU10

50 Pcs.

61,5x26x28,5

13 kg

**AMAZON
(DUO SATIN)**
YL60-2362

GU10

30 Pcs.

56x38x20,5

13 kg

**AMAZON
(WHITE)**
YL60-1663

GU10

50 Pcs.

61,5x26x28,5

8 kg

**AMAZON
(WHITE)**
YL60-1363

GU10

50 Pcs.

61,5x26x28,5

13 kg

**AMAZON
(DUO WHITE)**
YL60-2363

GU10

30 Pcs.

56x38x20,5

13 kg

DECORATIVE CASE (EMPTY CASE)

**HAZAR
(BLACK-COPPER)**
YL60-1329

NEW

GU10

100 Pcs.

46x27x55

12 kg



ROUND HOLE DIAMETER

94 mm
70 mm Hole Diameter

**HAZAR DUO
(BLACK-CHROME)**
YL60-2329

NEW

GU10

50 Pcs.

46x27x55

12 kg



170 mm
70 mm Hole Area

**HAZAR
(BLACK-COPPER)**
YL60-1331

NEW

GU10

100 Pcs.

46x27x55

12 kg



ROUND HOLE DIAMETER

94 mm
70 mm Hole Diameter

**HAZAR DUO
(BLACK-COPPER)**
YL60-2331

NEW

GU10

50 Pcs.

46x27x55

12 kg



170 mm
70 mm Hole Area

**NİL
(BLACK)**
YL60-1910

GU10

100 Pcs.

57x53,5x23

14 kg



92 mm
70 mm Hole Diameter

**NİL
(BLACK)**
YL60-2010

GU10

100 Pcs.

57x53,5x23

15,3 kg



94 mm
70 mm Hole Diameter

**NİL DUO
(BLACK)**
YL60-2210

GU10

50 Pcs.

61x26x39

14 kg



170 mm
70 mm Hole Area

**ROMA
(BLACK-COPPER)**
YL60-9140

GU10

30 Pcs.

33x51,5x23,5

11,5 kg



100 mm
100 mm

**NİL
(WHITE)**
YL60-1911

GU10

100 Pcs.

57x53,5x23

14 kg



92 mm
70 mm Hole Diameter

**NİL
(WHITE)**
YL60-2011

GU10

100 Pcs.

57x53,5x23

15,3 kg



94 mm
70 mm Hole Diameter

**NİL DUO
(WHITE)**
YL60-2211

GU10

50 Pcs.

61x26x39

14 kg



170 mm
70 mm Hole Area

**FLORANSA
(BLACK-COPPER)**
YL60-9160

GU10

50 Pcs.

31,5x31,5x22,5

7,8 kg



60 mm
100 mm

**ZEUS
YL65-1611**

GU10

100 Pcs.

53x21,5x19

6 kg



90 mm
65 mm Hole Diameter


**ZEUS
YL65-1631**

GU10

100 Pcs.

53x21,5x19

7,4 kg



ROUND HOLE DIAMETER

90 mm
65 mm Hole Diameter

**HADES
YL65-1610**

GU10

100 Pcs.

53x21,5x19

6 kg



90 mm
65 mm Hole Diameter

**HADES
YL65-1630**

GU10

100 Pcs.

53x21,5x19
































































7,4 kg



ROUND HOLE DIAMETER

90 mm
65 mm Hole Diameter

DECORATIVE CASE (EMPTY CASE)

 REN (BLACK) YL60-2020  100 Pcs.  52x22x42  7 kg	 	 REN (WHITE) YL60-2111  100 Pcs.  52x22x42  7 kg	 	 REN (BLACK-CHROME) YL60-2025  100 Pcs.  52x22x42  7 kg	 
 REN (WHITE-GOLD) YL60-2112  100 Pcs.  52x22x42  7 kg	 	 REN (BLACK-GOLD) YL60-2022  100 Pcs.  52x22x42  7 kg	 	 REN (WHITE-GOLDEN) YL60-2114  100 Pcs.  52x22x42  7 kg	 
 REN (BLACK-GOLDEN) YL60-2024  100 Pcs.  52x22x42  7 kg	 	 GANJ (WHITE-GOLD) YL60-0414  100 Pcs.  52x22x42  7 kg	 	 GANJ (WHITE-ROSE) YL60-0412  100 Pcs.  52x22x42  7 kg	 
 URAL (WHITE-GOLD) YL60-3112  100 Pcs.  59,5x27x46  11 kg	 	 URAL (BLACK-MATTE) YL60-3020  100 Pcs.  59,5x27x46  11 kg	 	 URAL (BLACK-GOLD) YL60-3024  100 Pcs.  59,5x27x46  11 kg	 
 URAL (WHITE-CHROME) YL60-3113  100 Pcs.  54,5x27x44,5  11,2 kg	 	 URAL (WHITE-GOLDEN) YL60-3114  100 Pcs.  54,5x27x44,5  11,2 kg	 		
 ARAS (WHITE-ROSE) YL60-3402  100 Pcs.  54,5x27x44,5  11,2 kg	 	 ARAS (WHITE-GOLD) YL60-3404  100 Pcs.  54,5x27x44,5  11,2 kg	 		

DECORATIVE CRYSTAL GLASS SPOT

<p>HERMES YL65-1641</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x22</p> <p>6,4 kg</p> <p>Ø 95 mm Ø 65 mm Hole Diameter</p>	<p>HEMERA YL65-1640</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x32</p> <p>8,4 kg</p> <p>Ø 95 mm Ø 65 mm Hole Diameter</p>	<p>APOLLON YL65-1642</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x32</p> <p>8,4 kg</p> <p>Ø 95 mm Ø 65 mm Hole Diameter</p>	<p>POSEIDON YL65-1644</p> <p>GU10</p> <p>50 Pcs.</p> <p>50,5x21,5x32</p> <p>8,4 kg</p> <p>Ø 95 mm Ø 65 mm Hole Diameter</p>
<p>HEKTOR YL65-1677</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x24,5</p> <p>5,7 kg</p> <p>Ø 95 mm Ø 65 mm Hole Diameter</p>	<p>KARYA YL65-1697</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x24,5</p> <p>12,3 kg</p> <p>Ø 100 mm Ø 65 mm Hole Diameter</p>	<p>İKAROS YL65-1657</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>67x27,5x24,5</p> <p>9,4 kg</p> <p>Ø 120 mm Ø 65 mm Hole Diameter</p>	<p>GERAS YL65-1667</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x24,5</p> <p>5,1 kg</p> <p>Ø 100 mm Ø 65 mm Hole Diameter</p>
<p>PODOS YL65-1687</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x24,5</p> <p>8,1 kg</p> <p>Ø 95 mm Ø 65 mm Hole Diameter</p>	<p>LİTA YL65-1707</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x24,5</p> <p>6,4 kg</p> <p>Ø 95 mm Ø 65 mm Hole Diameter</p>	<p>LODOS YL65-1717</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>67x27,5x24,5</p> <p>8,6 kg</p> <p>Ø 120 mm Ø 65 mm Hole Diameter</p>	<p>SELEN YL65-1737</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x24,5</p> <p>5,1 kg</p> <p>95 mm 95 mm Ø 65 mm Hole Diameter</p>
<p>TROYA YL65-1727</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x24,5</p> <p>6,1 kg</p> <p>Ø 95 mm Ø 65 mm Hole Diameter</p>	<p>NİLUS YL65-1747</p> <p>LED FRAME</p> <p>3W 4000K</p> <p>GU10</p> <p>50 Pcs.</p> <p>53x21,5x24,5</p> <p>5,8 kg</p> <p>Ø 95 mm Ø 65 mm Hole Diameter</p>	<p>FLORA YL65-1787</p> <p>LED FRAME</p> <p>3W 4000K BLUE</p> <p>GU10</p> <p>50 Pcs.</p> <p>67x27,5x24,5</p> <p>5,1 kg</p> <p>Ø 120 mm Ø 65 mm Hole Diameter</p>	

LED BULB

IP20 YL95-9011 **9W**
 220 V
 810 LUMEN
 200 Pcs.
 60x31x46
 6,8 kg
 6500K 4000K 3200K
 Ø 60 mm
 105 mm




IP20 YL95-1211 **12W**
 220 V
 1080 LUMEN
 100 Pcs.
 60x31x24,5
 3,7 kg
 6500K 3200K
 Ø 60 mm
 105 mm



IP20 YL95-1551 **15W**
 220 V
 1350 LUMEN
 100 Pcs.
 60x31x25
 3,9 kg
 6500K 3200K
 Ø 60 mm
 116 mm



IP20 LED BULB WITH BULB YL95-1201-S **12W**
 220 V
 1080 LUMEN
 100 Pcs.
 59,5x30x32
 3,7 kg
 6500K
 6-8 METER
 Ø 60 mm
 122 mm



IP20 TOP YL95-0701-T **6W**
 220 V
 540 LUMEN
 200 Pcs.
 46,5x24x35
 4,8 kg
 6500K 3200K
 Ø 45 mm
 74 mm




IP20 TOP YL96-0701-T **6W**
 220 V
 540 LUMEN
 200 Pcs.
 49x25x34
 4,2 kg
 6500K 3200K
 Ø 45 mm
 74 mm



IP20 RECHARGEABLE LED BULB YL95-0711 **7W**
 220 V
 630 LUMEN
 100 Pcs.
 63,5x32x26,5
 11,8 kg
 6500K
 RECHARGEABLE BATTERY
 8 HOURS ON MODE
 Ø 60 mm
 122 mm



IP20 FLAME BULB YL95-0506 **5W**
 220 V
 450 LUMEN
 50 Pcs.
 33,5x33,5x29,5
 4 kg
 1300K
 FLAME MODE
 GENERAL LIGHTING MODE
 BREATH MODE
 REVERSE FLAME MODE
 Ø 62 mm
 136 mm




IP20 RGB LED BULB WITH REMOTE YL95-9029 **9W**
 220 V
 810 LUMEN
 100 Pcs.
 59,5x35x44,5
 11,3 kg
 RGBW
 MEMORY PARTICULARITY
 7-8 METER REMOTE DISTANCE
 Ø 60 mm
 110 mm



IP20 YONCA YL90-0041 **40W**
 220 V
 3600 LUMEN
 50 Pcs.
 50,5x43,5x44
 12,9 kg
 6500K
 180 mm
 245 mm



IP20 MANOLYA YL90-0021 **20W**
 220 V
 1800 LUMEN
 100 Pcs.
 35x35x40
 9,5 kg
 6500K 3200K
 87 mm
 145 mm



IP20 CRYSTAL MANOLYA YL90-0140 **40W**
 220 V
 3600 LUMEN
 30 Pcs.
 35x35x40
 9,5 kg
 6500K
 280 mm
 110 mm



IP20 CRYSTAL BULB YL90-1224 **24W**
 220 V
 2400 LUMEN
 20 Pcs.
 37,5x40x37,5
 20 Pcs.
 ADJUSTABLE COLOR MODE
 6500K 4000K 3200K
 Ø 180 mm



IP20 CRYSTAL BULB YL90-1236 **36W**
 220 V
 3600 LUMEN
 20 Pcs.
 46,5x40x46,5
 20 Pcs.
 ADJUSTABLE COLOR MODE
 6500K 4000K 3200K
 Ø 230 mm



IP20 GLOP BULB YL95-0115 **15W**
 220 V
 1350 LUMEN
 50 Pcs.
 52x52x16,5
 10,5 kg
 6500K 3200K
 Ø 95 mm
 100 mm



LED CANDLE TYPE · SPOT BULB PORCELAIN SOCKET

IP20
220 V
630 LUMEN
200 Pcs.
38x38x22
5,2 kg

CANDLE TYPE
YL96-0701-B

7W
6500K 3200K



Ø 37 mm
100 mm

E14

IP20
220 V
630 LUMEN
200 Pcs.
38x38x22
5,2 kg

CURVED CANDLE TYPE
YL96-1701-B

7W
6500K 3200K

NEW




Ø 37 mm
138 mm

E14

IP20
220 V
720 LUMEN
200 Pcs.
40,5x40,5x25
7,5 kg

CANDLE TYPE
YL95-0701-P

8W
6500K 3200K



Ø 37 mm
116 mm

E27

IP20
220 V
450 LUMEN
200 Pcs.
53x27x24
5,2 kg

SPOT
YL91-0501

5W
6500K 3200K



Ø 50 mm
54 mm

GU10

IP20
220 V
630 LUMEN
200 Pcs.
53x27x24
5,2 kg

SPOT
YL91-0702

7W
3200K



Ø 50 mm
54 mm

GU10

IP20
220 V
720 LUMEN
200 Pcs.
35x35x22
5 kg

CANDLE TYPE
YL96-0701-P

8W
6500K 3200K



Ø 32 mm
100 mm

E14

IP20
220 V
630 LUMEN
200 Pcs.
53x27,5x26,5
6,2 kg

BOWL LENSED SPOT
YL91-0701-M

7W
6500K 4000K 3200K
AMBER



Ø 50 mm
54 mm

GU10

IP20
220 V
630 LUMEN
200 Pcs.
53x27,5x26,5
6,2 kg

DIMMABLE LENSED SPOT
YL91-0701-D

7W
6500K 3200K



Ø 50 mm
54 mm

GU10

IP20
220 V
630 LUMEN
200 Pcs.
53,5x27,5x25,5
10,7 kg

NEEDLE PIN
YL91-1671

7W
6500K 3200K



Ø 50 mm
50 mm

MR16

IP20
220 V
630 LUMEN
200 Pcs.
28,5x28,5x13
5 kg

NEW

NEW GENERATION LENSED BULB
YL28-5001

7W
6500K 4000K 3200K



SUITABLE TO DECORATIVE CASE

Ø 50 mm
22 mm

GU10
40x26x24
15 kg
1000 Pcs.

PORCELAIN SOCKET WITH 12 CM CABLE
YL91-0010



LED TORCH BULB

CRYSTAL TORCH
YL95-2011

20W

IP20 220 V

NEW

1980 LUMEN 9,6 kg

100 Pcs. 51,5x42x34

E27

6500K

Ø 80 mm
100 mm



CRYSTAL TORCH
YL95-3011

30W

IP20 220 V

NEW

2930 LUMEN 7,8 kg

50 Pcs. 59,5x52x22

E27

6500K

Ø 100 mm
120 mm



CRYSTAL TORCH
YL95-4011

40W

IP20 220 V

NEW

3950 LUMEN 6,6 kg

30 Pcs. 59,5x41x25

E27

6500K

Ø 115 mm
130 mm



CRYSTAL TORCH
YL95-5011

50W

IP20 220 V

NEW

4290 LUMEN 4,8 kg

20 Pcs. 64x28,5x26,5

E27

6500K

Ø 125 mm
145 mm



TORCH
YL95-2001

20W

IP20 220 V

1980 LUMEN 8,3 kg

100 Pcs. 41,5x41,5x38

E27

6500K 3200K

Ø 80 mm
140 mm



TORCH
YL95-3001

30W

IP20 220 V

2930 LUMEN 7 kg

50 Pcs. 52x52x36,5

E27

6500K 3200K

Ø 100 mm
170 mm



TORCH
YL95-4001

40W

IP20 220 V

3950 LUMEN 5,2 kg

30 Pcs. 57x35,5x40,5

E27

6500K 3200K

Ø 115 mm
190 mm



TORCH
YL95-5001

50W

IP20 220 V

4290 LUMEN 4,6 kg

20 Pcs. 64,5x27x45

E27

6500K 3200K

Ø 125 mm
215 mm



TORCH
YL95-6001

60W

IP20 220 V

5075 LUMEN 5,6 kg

20 Pcs. 70x29x47,5

E27

6500K 3200K

Ø 140 mm
220 mm



RECHARGEABLE
YL95-3101

30W

IP20 3.7 V

2400 LUMEN 10,3 kg

50 Pcs. 50x50x34,5

E27

6500K

Ø 95 mm
159 mm

VERITABLE BATTERY LIFE



LED FILAMENT BULB

IP20
220 V
COB
470 LUMEN
7 kg
100 Pcs.
69x35x30,5

ST64 FILAMENT (CLEAR GLASS)
YL92-0131

4W
6500K 2700K



E27

0.64 mm
148 mm

IP20
220 V
COB
410 LUMEN
7 kg
100 Pcs.
69x35x30,5

ST64 FILAMENT
YL92-0011

4W
2500K



E27

0.64 mm
148 mm

IP20
220 V
COB
600 LUMEN
7 kg
100 Pcs.
69x35x30,5

ST64 FILAMENT
YL92-0020

6W
1800K



E27

0.64 mm
148 mm

IP20
220 V
COB
780 LUMEN
5,8 kg
100 Pcs.
66x34x24

A60 FILAMENT (CLEAR GLASS)
YL92-4112

6W
3000K



E27

0.60 mm
108 mm

IP20
220 V
COB
420 LUMEN
3 kg
100 Pcs.
53,5x26,5x20

G45 FILAMENT (CLEAR GLASS)
YL92-2111

4W
2700K




E27

0.45 mm
72 mm

IP20
220 V
COB
310 LUMEN
2,4 kg
100 Pcs.
39x20x24

C35 FILAMENT (CLEAR GLASS)
YL92-1112

4W
3000K



E14

0.35 mm
65 mm

IP20
220 V
COB
780 LUMEN
5,8 kg
100 Pcs.
66x34x24

A60 FILAMENT
YL92-4010

4W
85,00 zł
1800K




E27

0.60 mm
108 mm

IP20
220 V
COB
420 LUMEN
3 kg
100 Pcs.
53,5x26,5x20

G45 FILAMENT
YL92-2010

4W
65,00 zł
1800K



E27

0.45 mm
72 mm

IP20
220 V
COB
310 LUMEN
2,4 kg
100 Pcs.
39x20x24

C35 FILAMENT
YL92-1010

4W
60,00 zł
1800K



E14

0.35 mm
65 mm

IP20
220 V
COB
500 LUMEN
5,1 kg
50 Pcs.
54,5x51,5x27

G95 FILAMENT
YL92-3020

6W
3000K




E27

0.95 mm
139 mm

IP20
220 V
COB
450 LUMEN
6 kg
100 Pcs.
36x36x20

T225 FILAMENT
YL92-5030

6W
3000K



E27

0.30 mm
225 mm

IP64
220 V
E27
27,6 kg
48x36x36
40 Pcs.

MYKONOS (5m/5 Base)
YL01-0205


NEW



ADDABLE

IP64
220 V
E27
19 kg
48x32x31
10 Pcs.

MYKONOS (10m/20 Base)
YL01-0220



ADDABLE

LED TRACK SPOT TRACK & TRACK APPARATUS

IP20
PARIS
YL29-3101

30W
6500K 4000K 3200K

220 V

COB

2700 LUMEN

5,6 kg

30 Pcs.

44x28x38

Ø 75 mm 115 mm

IP20
PARIS
YL29-3001

30W
6500K 4000K 3200K

220 V

COB

2700 LUMEN

5,6 kg

30 Pcs.

44x28x38

Ø 75 mm 115 mm

IP20
RODIN
YL29-3301

33W
6500K 3200K

220 V

COB

2970 LUMEN

12,6 kg

30 Pcs.

49,5x22x43

Ø 75 mm 115 mm

IP20
LYON
YL29-4001

40W
6500K 3200K

220 V

COB

3600 LUMEN

11,2 kg

30 Pcs.

43x27,5x40

Ø 50 mm 125 mm

IP20
LYON
YL29-4101

40W
3200K

220 V

COB

3600 LUMEN

11,2 kg

30 Pcs.

43x27,5x40

Ø 50 mm 125 mm

IP20
PICASSO (EMPTY CASE)
YL29-0101

220 V

GU10

5,6 kg

30 Pcs.

44x28x38

Ø 54 mm 128 mm

IP20
AZUR
YL29-4161

40W
6500K 4000K 3200K

220 V

NEW

COB

3600 LUMEN

16 kg

30 Pcs.

49x46x54,5

Ø 85 mm 135 mm

IP20
AZUR
YL29-4011

40W
6500K 4000K 3200K

220 V

NEW

COB

3600 LUMEN

16 kg

30 Pcs.

49x46x54,5

Ø 85 mm 135 mm

IP20
WHITE
YL99-0006-1 WHITE 1m
YL99-0006-2 WHITE 2m
YL99-0006-3 WHITE 3m

BLACK
YL99-0007-1 BLACK 1m
YL99-0007-2 BLACK 2m
YL99-0007-3 BLACK 3m

220 V

30 Pcs.

6 kg 110x19x11

12 kg 210x19x11

19 kg 310x19x11

6 kg 110x19x11

12 kg 210x19x11

19 kg 310x19x11

IP20
CONNECTOR
YL99-0008

220 V

200 Pcs.

41,5x21,1x17

3,9 kg

IP20
L TURN
YL99-0004

220 V

200 Pcs.

41,5x21,1x17

3,9 kg

IP20
CROSS CONNECTOR
YL99-0001

220 V

200 Pcs.

41,5x21,1x17

4,1 kg

IP20
T CONNECTOR
YL99-0002

220 V

200 Pcs.

41,5x21,1x17

3,4 kg

LED CABINET DECORATIVE SCONCE

HITIT LED CABINET
YL05-6000

IP20

160 LUMEN

50 Pcs.

49x32x48

17 kg

ADJUSTABLE COLOR MODE

6500K 4000K 3200K

20 mm
330 mm

TYPE-C DIMMABLE TOUCH OPERATED VERITABLE BATTERY LIFE



MAYA LED CABINET
YL05-5002

IP20

30 LUMEN

50 Pcs.

52x26,5x20

4,5 kg

3200K

VERITABLE BATTERY LIFE

TYPE-C

MAGNETIC

SENSOR

60 mm
60 mm



AZTEK LED CABINET (BLACK)
YL05-6100

IP20

160 LUMEN

50 Pcs.

45x19x23,5

10,5 kg

NEW

ADJUSTABLE COLOR MODE

6500K 4000K 3200K

400 mm

SENSOR

VERITABLE BATTERY LIFE

TYPE-C DIMMABLE MAGNETIC



AZTEK LED CABINET (WHITE)
YL05-6101

IP20

160 LUMEN

50 Pcs.

45x19x23,5

10,5 kg

NEW

ADJUSTABLE COLOR MODE

6500K 4000K 3200K

400 mm

SENSOR

VERITABLE BATTERY LIFE

TYPE-C DIMMABLE MAGNETIC



CORDOBA
YL85-0302

IP20

220 V

270 LUMEN

20 Pcs.

45x32,5x21

6,3 kg

3200K

50 mm
100 mm
26 mm



INKA LED SCONCE
YL05-5002

IP20

120 LUMEN

30 Pcs.

36x35x38

10 kg

NEW

3200K

VERITABLE BATTERY LIFE

TYPE-C

MAGNETIC

Ø 25 mm
180 mm



RONDA (BLACK)
YL85-0732

IP20

220 V

810 LUMEN

20 Pcs.

41,5x22,5x39

10,5 kg

3200K

100 mm
180 mm
31 mm

KEY OPERATED



RONDA (WHITE)
YL85-1732

IP20

220 V

810 LUMEN

20 Pcs.

41,5x22,5x39

10,5 kg

3200K

100 mm
180 mm
31 mm

KEY OPERATED



LED BATTEN LUMINAIRE LED FLUORESCENT

60 CM BATTEN LUMINAIRE
YL98-6000

20W

6500K 3200K

IP20 220 V

1800 LUMEN 6,5 kg

30 Pcs. 62x27x25

EASY MOUNT

600 mm 74 mm 22 mm



120 CM BATTEN LUMINAIRE
YL98-1200

40W

6500K 4000K 3200K

IP20 220 V

3600 LUMEN 14,2 kg

40 Pcs. 122x33x27

EASY MOUNT

1200 mm 74 mm 15 mm



120 CM BATTEN LUMINAIRE (BLACK)
YL98-1200-S

40W

6500K

IP20 220 V


3600 LUMEN 14,2 kg

40 Pcs. 122x33x27

EASY MOUNT

1200 mm 74 mm 15 mm

NEW



120 CM ETNA BATTEN LUMINAIRE
YL98-5001

60W

6500K 3200K

IP20 220 V

5400 LUMEN 6 kg

20 Pcs. 122x27x15

2 ROWS LED

CRYSTAL GLASS COVER

EASY MOUNT HIGH LUMEN

1200 mm 74 mm 15 mm



120 CM ETNA BATTEN LUMINAIRE
YL98-6601

80W

6500K 3200K

IP20 220 V

7200 LUMEN 10 kg


20 Pcs. 122x28x21

3 ROWS LED

CRYSTAL GLASS COVER

EASY MOUNT HIGH LUMEN

1200 mm 74 mm 15 mm



120 CM ETNA BATTEN LUMINAIRE
YL98-8801

100W

6500K

IP20 220 V

9000 LUMEN 12 kg

20 Pcs. 122x28x27

4 ROWS LED

CRYSTAL GLASS COVER

EASY MOUNT HIGH LUMEN

1200 mm 74 mm 15 mm



60 CM LED FLUORESCENT
YL97-6000

9W

6500K 3200K


IP20 220 V

810 LUMEN 9,8 kg

100 Pcs. 63,5x31,5x32

TWO WAYS ENERGY INPUT

590 mm 26 mm



120 CM LED FLUORESCENT
YL97-1200

18W

6500K 3200K


IP20 220 V

1620 LUMEN 9,2 kg

50 Pcs. 123,5x32x18

TWO WAYS ENERGY INPUT

1200 mm 26 mm



LED ETANGE BATTEN LUMINAIRE

LED T5 BATTEN LUMINAIRE

60 CM SALINA ETANGE DAMP PLACE
YL98-1810

18W

6500K 3200K

IP65 **220 V**

1800 LUMEN **5 kg**

20 Pcs. **67x25,5x29**




120 CM SALINA ETANGE DAMP PLACE
YL98-3610



36W

6500K 4000K 3200K

IP65 **220 V**

3600 LUMEN **10 kg**

20 Pcs. **124,5x26x29**

60 CM ETANGE DAMP PLACE
YL98-2000



18W

6500K 3200K

IP65 **220 V**

1620 LUMEN **10 kg**

50 Pcs. **66x37x33**

120 CM ETANGE DAMP PLACE
YL98-3600



36W

6500K 3200K

IP65 **220 V**

3240 LUMEN **18,6 kg**

50 Pcs. **127x43x33**

30 CM T5 ADDABLE BATTEN LUMINAIRE
YL97-0500

5W

6500K 3200K

IP20 **220 V**

400 LUMEN **2 kg**

20 Pcs. **36,5x14x16,5**

KEY OPERATED




60 CM T5 ADDABLE BATTEN LUMINAIRE
YL97-0900

9W


6500K 3200K

IP20 **220 V**

720 LUMEN **3 kg**

20 Pcs. **63,5x13,5x16,5**

KEY OPERATED

90 CM T5 ADDABLE BATTEN LUMINAIRE
YL97-1400

14W

6500K 3200K

IP20 **220 V**

1120 LUMEN **4 kg**

20 Pcs. **94x14x17**

KEY OPERATED




120 CM T5 ADDABLE BATTEN LUMINAIRE
YL97-1800

18W

6500K 3200K

IP20 **220 V**

1440 LUMEN **6 kg**

20 Pcs. **124x14x16,5**

KEY OPERATED




LED ULTRA SLIM FLOODLIGHT

YL70-1010

10W

6500K 3200K
BLUE GREEN

NEW

IP66
220 V
800 LUMEN
100 Pcs.
39,5x16,5x42
10,8 kg

85 mm
65 mm



YL70-1020

20W

6500K 3200K GREEN

NEW

IP66
220 V
1600 LUMEN
50 Pcs.
55x16,5x20
7,4 kg

80 mm
100 mm



YL70-1030

30W

6500K 3200K GREEN

NEW

IP66
220 V
2400 LUMEN
40 Pcs.
55x16,5x23
7,8 kg

95 mm
130 mm



YL70-1050

50W

6500K 3200K GREEN

IP66
220 V
4000 LUMEN
40 Pcs.
35x28x26
10,7 kg

155 mm
115 mm



YL70-1100

100W

6500K 3200K GREEN

IP66
220 V
8000 LUMEN
30 Pcs.
64,5x27,5x19,5
15 kg

202 mm
167 mm



YL70-1150

150W

6500K 3200K

IP66
220 V
12000 LUMEN
20 Pcs.
50x28,5x22
14,4 kg

241 mm
197 mm



YL70-1200

200W

6500K 3200K

IP66
220 V
16000 LUMEN
20 Pcs.
58x27,5x26,5
21,2 kg

275 mm
238 mm



YL70-1300

300W

6500K

IP66
220 V
24000 LUMEN
20 Pcs.
67x28,5x29
26,8 kg

318 mm
265 mm



YL70-1400

400W

6500K

IP66
220 V
32000 LUMEN
10 Pcs.
51,5x51,5x34,5

480 mm
310 mm



YL70-1500

500W

6500K

IP66
220 V
40000 LUMEN
10 Pcs.
62x51,5x34,5



590 mm
310 mm







DIAMOND LED FLOODLIGHT LED SOLAR FLOODLIGHT

<p>IP65</p> <p>220 V</p> <p>900 LUMEN</p> <p>50 Pcs.</p> <p>53x19,5x30,5</p> <p>10,7 kg</p>	<p>DIAMOND LED FLOODLIGHT YL70-0010</p> <p>10W</p> <p>6500K 3200K</p>  <p>88 mm 130 mm 25 mm</p>	<p>IP65</p> <p>220 V</p> <p>1800 LUMEN</p> <p>30 Pcs.</p> <p>44x23x39</p> <p>11,9 kg</p>	<p>DIAMOND LED FLOODLIGHT YL70-0020</p> <p>20W</p> <p>6500K 3200K AMBER</p>  <p>126 mm 175 mm 34 mm</p>	<p>IP65</p> <p>220 V</p> <p>2700 LUMEN</p> <p>20 Pcs.</p> <p>42x36x25</p> <p>11,5 kg</p>	<p>DIAMOND LED FLOODLIGHT YL70-0030</p> <p>30W</p> <p>6500K 3200K</p>  <p>180 mm 190 mm 35 mm</p>
---------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>IP65</p> <p>220 V</p> <p>4500 LUMEN</p> <p>20 Pcs.</p> <p>54x45x22</p> <p>17 kg</p>	<p>DIAMOND LED FLOODLIGHT YL70-0050</p> <p>50W</p> <p>6500K 3200K</p>  <p>188 mm 235 mm 39 mm</p>	<p>IP65</p> <p>220 V</p> <p>9000 LUMEN</p> <p>10 Pcs.</p> <p>49x24,5x35,5</p> <p>11,6 kg</p>	<p>DIAMOND LED FLOODLIGHT YL70-0100</p> <p>100W</p> <p>6500K</p>  <p>220 mm 425 mm 49 mm</p>	<p>IP65</p> <p>220 V</p> <p>13500 LUMEN</p> <p>10 Pcs.</p> <p>50,5x38x30</p> <p>17,3 kg</p>	<p>DIAMOND LED FLOODLIGHT YL70-0150</p> <p>150W</p> <p>6500K 3200K</p>  <p>260 mm 330 mm 39 mm</p>
----------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>IP65</p> <p>220 V</p> <p>18000 LUMEN</p> <p>10 Pcs.</p> <p>49x24,5x35,5</p> <p>20,3 kg</p>	<p>DIAMOND LED FLOODLIGHT YL70-0200</p> <p>200W</p> <p>6500K</p>  <p>280 mm 400 mm 39 mm</p>	<p>IP67</p> <p>16000 LUMEN</p> <p>40 Pcs.</p> <p>53x19,5x30,5</p> <p>11,1 kg</p>	<p>SOLAR PORTABLE LED FLOODLIGHT YL71-0209-S</p> <p>200W</p> <p>ADJUSTABLE COLOR MODE</p> <p>6500K 4000K 3200K</p>  <p>170 mm 150 mm</p> <p>DRIMABLE SOLAR ENERGY</p> <p>Simple Horizontal Usage With Suspending Operation Ability to Charge Device With Micro USB Output</p>
-----------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>IP67</p> <p>8000 LUMEN</p> <p>10 Pcs.</p> <p>43x39x30,5</p> <p>10,7 kg</p> <p>VERITABLE BATTERY LIFE</p>	<p>SOLAR LED FLOODLIGHT YL71-0101-S</p> <p>100W</p> <p>6500K</p>  <p>215 mm 180 mm</p>	<p>IP67</p> <p>16000 LUMEN</p> <p>10 Pcs.</p> <p>50x47x38</p> <p>15,5 kg</p> <p>VERITABLE BATTERY LIFE</p>	<p>SOLAR LED FLOODLIGHT YL71-0201-S</p> <p>200W</p> <p>6500K</p>  <p>256 mm 222 mm</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>IP67</p> <p>24000 LUMEN</p> <p>10 Pcs.</p> <p>63x49x38</p> <p>19,4 kg</p> <p>VERITABLE BATTERY LIFE</p>	<p>SOLAR LED FLOODLIGHT YL71-0301-S</p> <p>300W</p> <p>6500K</p>  <p>280 mm 245 mm</p>	<p>IP67</p> <p>32000 LUMEN</p> <p>5 Pcs.</p> <p>74x54x37,5</p> <p>13,3 kg</p> <p>VERITABLE BATTERY LIFE</p>	<p>SOLAR LED FLOODLIGHT YL71-0401-S</p> <p>400W</p> <p>6500K</p>  <p>328 mm 270 mm</p>
------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

LED SOLAR STREET LUMINAIRE

LED STREET LUMINAIRE

LED HIGH CEILING LUMINAIRE

<p>IP65</p> <p>8000 LUMEN</p> <p>33,5x31x41</p> <p>10 Pcs.</p> <p>10 kg</p>	<p>SOLAR STREET LUMINAIRE YL73-0100-S</p> <p>100W</p> <p>6500K</p> <p>PHOTOCELL SENSOR</p> <p>VERIFIABLE BATTERY LIFE</p>	<p>IP65</p> <p>8000 LUMEN</p> <p>42x33,5x42</p> <p>10 Pcs.</p> <p>12,5 kg</p>	<p>SOLAR STREET LUMINAIRE YL73-0110-S</p> <p>100W</p> <p>6500K</p> <p>NEW</p> <p>PHOTOCELL SENSOR</p> <p>VERIFIABLE BATTERY LIFE</p>	<p>IP65</p> <p>16000 LUMEN</p> <p>47x32,5x51,5</p> <p>10 Pcs.</p> <p>15,3 kg</p>	<p>SOLAR STREET LUMINAIRE YL73-0210-S</p> <p>200W</p> <p>6500K</p> <p>NEW</p> <p>PHOTOCELL SENSOR</p> <p>VERIFIABLE BATTERY LIFE</p>
-------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

<p>IP65</p> <p>24000 LUMEN</p> <p>51x33,5x65</p> <p>10 Pcs.</p> <p>19,7 kg</p>	<p>SOLAR STREET LUMINAIRE YL73-0310-S</p> <p>300W</p> <p>6500K</p> <p>NEW</p> <p>PHOTOCELL SENSOR</p> <p>VERIFIABLE BATTERY LIFE</p>	<p>IP65</p> <p>32000 LUMEN</p> <p>32,5x26,5x75,5</p> <p>10 Pcs.</p> <p>15,5 kg</p>	<p>SOLAR STREET LUMINAIRE YL73-0410-S</p> <p>400W</p> <p>6500K</p> <p>NEW</p> <p>PHOTOCELL SENSOR</p> <p>VERIFIABLE BATTERY LIFE</p>	<p>IP65</p> <p>64000 LUMEN</p> <p>57x46x57</p> <p>5 Pcs.</p> <p>19 kg</p>	<p>UFO SOLAR STREET LUMINAIRE YL73-0800-S</p> <p>800W</p> <p>6500K</p> <p>PHOTOCELL SENSOR</p> <p>VERIFIABLE BATTERY LIFE</p>
----------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------

<p>IP65</p> <p>48000 LUMEN</p> <p>65x42,5x38</p> <p>5 Pcs.</p> <p>13,8 kg</p>	<p>MEGA SOLAR STREET LUMINAIRE YL73-0610-S</p> <p>600W</p> <p>6500K</p> <p>NEW</p> <p>PHOTOCELL SENSOR</p> <p>VERIFIABLE BATTERY LIFE</p>	<p>IP65</p> <p>32000 LUMEN</p> <p>65x42,5x38</p> <p>5 Pcs.</p> <p>18,8 kg</p>	<p>MEGA SOLAR STREET LUMINAIRE YL73-0910-S</p> <p>900W</p> <p>6500K</p> <p>NEW</p> <p>PHOTOCELL SENSOR</p> <p>VERIFIABLE BATTERY LIFE</p>	<p>IP65</p> <p>96000 LUMEN</p> <p>73x42,5x38</p> <p>5 Pcs.</p> <p>20 kg</p>	<p>MEGA SOLAR STREET LUMINAIRE YL73-1200-S</p> <p>1200W</p> <p>6500K</p> <p>NEW</p> <p>PHOTOCELL SENSOR</p> <p>VERIFIABLE BATTERY LIFE</p>
---------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>IP64</p> <p>NEW</p> <p>220 V</p> <p>4000 LUMEN</p> <p>20 Pcs.</p> <p>47x41x29,5</p>	<p>CASTOR STREET LUMINAIRE YL73-0050</p> <p>50W</p> <p>6500K</p>	<p>IP64</p> <p>NEW</p> <p>220 V</p> <p>8000 LUMEN</p> <p>20 Pcs.</p> <p>47x41x29,5</p>	<p>CASTOR STREET LUMINAIRE YL73-0100</p> <p>100W</p> <p>6500K</p>	<p>IP64</p> <p>NEW</p> <p>220 V</p> <p>12000 LUMEN</p> <p>10 Pcs.</p> <p>47x41x29,5</p>	<p>CASTOR STREET LUMINAIRE YL73-0150</p> <p>150W</p> <p>6500K</p>	<p>IP64</p> <p>NEW</p> <p>220 V</p> <p>16000 LUMEN</p> <p>10 Pcs.</p> <p>47x41x29,5</p>	<p>CASTOR STREET LUMINAIRE YL73-0200</p> <p>200W</p> <p>6500K</p>
-------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------

<p>IP65</p> <p>220 V</p> <p>13500 LUMEN</p> <p>17 kg</p> <p>10 Pcs.</p> <p>67x25,5x29</p>	<p>CAPELLA HIGH CEILING LUMINAIRE YL73-1500</p> <p>150W</p> <p>6500K</p> <p>NEW</p>	<p>IP65</p> <p>220 V</p> <p>18000 LUMEN</p> <p>17 kg</p> <p>10 Pcs.</p> <p>67x25,5x29</p>	<p>CAPELLA HIGH CEILING LUMINAIRE YL73-2000</p> <p>200W</p> <p>6500K</p> <p>NEW</p>
---------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SENSOR · CIRCUIT BREAKER TIME CONTROLLER · CONTACTOR

IP20 RECESSED MOUNTED MOTION SENSOR 1200W
360°
YL04-7002

220 V

50 Pcs.

6 kg

45x42x18



IP20 SURFACE MOUNTED MOTION SENSOR 1200W
360°
YL04-7361

220 V

50 Pcs.

9,7 kg

62,5x36x26



IP20 RADAR SENSOR 1200W
YL04-7102

220 V

NEW

50 Pcs.

3,5 kg

25x23x17



IP20 ULTRA SLIM SURFACE MOUNTED SENSOR 2000W
360°
YL04-7003

220 V

50 Pcs.

7,8 kg

62x18,5x26,5




IP20 PHOTOCELL 1200W
YL04-8001

220 V

100 Pcs.

13,8 kg

37x37x39



IP20 SURFACE MOUNTED MOTION SENSOR 1200W
180°
YL04-7181

220 V

50 Pcs.

11,5 kg

43x31x36



IP20 MINI SENSOR 800W
YL04-7001

220 V

100 Pcs.

4,6 kg

37,5x27x26



IP20 MECHANICAL TIME CONTROLLER 3800W
YL04-7100

220 V

NEW

96 Pcs.

16,8 kg

37x35x49,5

KIDS SAVES

16A



IP20 C TYPE CIRCUIT BREAKER
YL04-6002

230-400V


240 Pcs.

46x23,5x17,5

2A

4,5kA

1P MONOFAZE



IP20 W AUTOMATE TIME CONTROLLER 3500W
YL04-7101

220 V

100 Pcs.

9 kg

40x23x23,5

100 HOURS RESERVED TIME

16A



IP20 SILENT LIGHTING CONTACTOR 25A
YL04-9000

220 V

120 Pcs.

13 kg

40x32,5x27,5



LED STRIP LED NEON

IP20 60 LED INDOOR LIGHT STRIP LED YL40-4001

6500K 4000K 3200K

12 V

14,4W/m

48x29x22

6,2 kg

500 m

BLUE RED GREEN
AMBER PINK



IP20 60 LED INDOOR RGB STRIP LED YL50-5009

RGB

12 V

14,4W/m

48x29x22

8,25 kg

500 m

60 LED OUTDOOR RGB STRIP LED YL50-5109

RGB



IP44 60 LED OUTSIDE STRIP LED YL40-4101

6500K 3200K

12 V

14,4W/m

48x29x22

8,5 kg

250 m



IP20 120 LED INDOOR STRIP LED YL35-1201

6500K 3200K
4000K AMBER

12 V

9,6W/m

48x29x22

6,6 kg

500 m



IP20 240 LED INDOOR STRIP LED YL35-2401

6500K 3200K
4000K AMBER

12 V

18W/m

48x29x22

11 kg

500 m



IP64 12V NEON LED RGB YL42-5009

RGB

12 V

10W/m

31,5x31,5x13

8 kg

50 METER ROLL

NEW



IP64 12V NEON LED YL42-0121

6500K 3200K BLUE RED
GREEN AMBER 4000K PINK
ICE BLUE TURQOISE

12 V

6,5W/m

37x25x28

8 kg

100 m

5 METER ROLL



IP64 12V NEON LED RGB YL42-0129

RGB

12 V

6,5W/m

37x25x28

8 kg

100 m

5 METER ROLL



IP64 12V NEON LED YL42-5001

6500K 3200K BLUE RED
GREEN AMBER 4000K PINK
ICE BLUE TURQOISE

12 V

10W/m

31,5x31,5x13

8 kg

50 METER ROLL

NEW



LED HOSE LED NEON

IP64

HOSE LED
YL41-4001

6500K 3200K
BLUE RED
GREEN AMBER
4000K

220 V

6,5W/m

31,5x31,5x13

6,1 kg

100 m

PLUG CONNECTOR
YL41-1050

IP64

HOSE LED RGB
(60 LED)
YL41-5009

RGB

220 V

6,5W/m

31,5x31,5x13

5,8 kg

50 m

RGB PLUG CONNECTOR
YL41-1059

IP44

220V DOB STRIP LED
(120 LED)
YL41-2201

6500K 3200K AMBER

NEW

220 V

8W/m

31,5x31,5x13

6,1 kg

100 m

PLUG AND RUN

ADHESIVE TAPED

PLUG CONNECTOR
YL41-2050

IP44

220V DOB STRIP LED
(240 LED)
YL41-2401

6500K 3200K AMBER

NEW

220 V

12W/m

31,5x31,5x13

6,1 kg

100 m

PLUG AND RUN

ADHESIVE TAPED

PLUG CONNECTOR
YL41-2150

IP64

220V NEON LED
(120 LED)
YL42-0001

6500K 3200K
GREEN AMBER
BLUE RED
PINK 4000K

220 V

7W/m

31,5x31,5x13

5,6 kg

50 m

PLUG CONNECTOR
YL42-1042

IP64

220V COB NEON
(288 LED)
YL42-2801

6500K 3200K AMBER

NEW

220 V

10W/m

33x33x15

6,1 kg

100 m

ADHESIVE TAPED

HIGH LUMEN



PLUG CONNECTOR
YL42-2850





LED ULTRA SLIM TRANSFORMER

LED OUTDOOR TRANSFORMER

<p>IP20</p> <p>5A ULTRA SLIM YL25-0060</p> <p>60W</p> <p>12 V</p> <p>140 Pcs.</p> <p>34x26,5x30</p> <p>8,5 kg</p> <p>70 mm</p> 	<p>IP20</p> <p>12.5A ULTRA SLIM YL25-0150</p> <p>150W</p> <p>12 V</p> <p>120 Pcs.</p> <p>36,5x29,5x31</p> <p>11 kg</p> <p>140 mm</p> 	<p>IP20</p> <p>16.5A ULTRA SLIM YL25-0200</p> <p>200W</p> <p>12 V</p> <p>120 Pcs.</p> <p>36,5x29,5x31</p> <p>11 kg</p> <p>140 mm</p> 
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>IP20</p> <p>21A ULTRA SLIM YL25-0250</p> <p>250W</p> <p>12 V</p> <p>120 Pcs.</p> <p>47x21,5x26,5</p> <p>15 kg</p> <p>169 mm</p> 	<p>IP20</p> <p>25A ULTRA SLIM YL25-0300</p> <p>300W</p> <p>12 V</p> <p>60 Pcs.</p> <p>29,5x25x26,5</p> <p>19,5 kg</p> <p>203 mm</p> 	<p>IP20</p> <p>33A ULTRA SLIM YL25-0360</p> <p>360W</p> <p>12 V</p> <p>60 Pcs.</p> <p>32,5x29,5x26,5</p> <p>22 kg</p> <p>270 mm</p> 
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>IP20</p> <p>5A ULTRA SLIM YL26-0120</p> <p>120W</p> <p>24 V</p> <p>120 Pcs.</p> <p>36,5x29,5x31</p> <p>10 kg</p> <p>140 mm</p> <p>24V</p> 	<p>IP20</p> <p>10A ULTRA SLIM YL26-0240</p> <p>240W</p> <p>24 V</p> <p>60 Pcs.</p> <p>47x21,5x26,5</p> <p>11 kg</p> <p>200 mm</p> <p>24V</p> 	<p>IP20</p> <p>15A ULTRA SLIM YL26-0360</p> <p>360W</p> <p>24 V</p> <p>60 Pcs.</p> <p>32,5x29,5x26,5</p> <p>21 kg</p> <p>200 mm</p> <p>24V</p> 
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>IP67</p> <p>3A OUTDOOR YL31-0036</p> <p>36W</p> <p>12 V</p> <p>50 Pcs.</p> <p>44x25x14</p> <p>7,7 kg</p> <p>210 mm</p> 	<p>IP67</p> <p>10A OUTDOOR YL31-0120</p> <p>120W</p> <p>12 V</p> <p>30 Pcs.</p> <p>41x26x17</p> <p>14 kg</p> <p>200 mm</p> 	<p>IP67</p> <p>16.5A OUTDOOR YL31-0200</p> <p>200W</p> <p>12 V</p> <p>20 Pcs.</p> <p>34,5x28x16</p> <p>15 kg</p> <p>230 mm</p> 	<p>IP67</p> <p>20A OUTDOOR YL31-0250</p> <p>250W</p> <p>12 V</p> <p>10 Pcs.</p> <p>34,5x16x27</p> <p>16 kg</p> <p>230 mm</p> 
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


PROFESSIONAL LED TRANSFORMER EMERGENCY KIT - PANEL DRIVER

IP20
12 V
140 Pcs.
28,5x26x28,5
12,9 kg

5A TRANSFORMER
YL20-1205
60W

NEW

PRO




CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
120 Pcs.
32,5x24,5x28,5
13 kg

10A TRANSFORMER
YL20-1210
120W

NEW

PRO




CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
120 Pcs.
32,5x24,5x28,5
13 kg

12.5A TRANSFORMER
YL20-1212
150W

NEW

PRO




CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
60 Pcs.
33,5x19,5x28,5
11,5 kg

16.5A TRANSFORMER
YL20-1216
200W

NEW

PRO




CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
60 Pcs.
33,5x22x28,5
13 kg

20A TRANSFORMER
YL20-1220
250W

NEW

PRO




CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
60 Pcs.
33,5x25,5x28,5
14 kg

30A TRANSFORMER
YL20-1230
360W

NEW

PRO




CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
50 Pcs.
28,5x26x16,5
9 kg

5A TRANSFORMER
YL20-0600
60W

NEW

PRO MAX



EPOXY PCB CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
50 Pcs.
31,5x28,5x16,5
12 kg

10A TRANSFORMER
YL20-1200
120W

NEW

PRO MAX




EPOXY PCB CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
50 Pcs.
28,5x20,5x31
15 kg

12.5A TRANSFORMER
YL20-1500
150W

NEW

PRO MAX



EPOXY PCB CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
50 Pcs.
28,5x20,5x31
15,5 kg

16.5A TRANSFORMER
YL20-2000
200W

NEW

PRO MAX



EPOXY PCB CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
35 Pcs.
33,5x21x22,5
14 kg

20A TRANSFORMER
YL20-2500
250W

NEW

PRO MAX



EPOXY PCB CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
12 V
35 Pcs.
33,5x24,5x22,5
16 kg

30A TRANSFORMER
YL20-3600
360W

NEW

PRO MAX



EPOXY PCB CLEMENS CONNECTOR EASY MOUNT %100 COPPER ROLL

IP20
220 V
50 Pcs.
6,8 kg
34x23,5x19

EMERGENCY KIT
YL89-3054
3-54W

2200 mA

GERBEK PIL ÖZÜMÜ
3 HOURS RUN TIME
LI-ION BATTERY 3.7V / 8.14Wh
TEST BUTTON




IP20
220 V
250 Pcs.
4 kg
42,5x28x23,5

PANEL DRIVER
YL89-0618
6-18W




IP20
220 V
50 Pcs.

BACKLIGHT PANEL DRIVER
YL89-1054
40W



IP20
12 V
350 Pcs.
21 kg
34x33x30
















1A LED STRIP DRIVER
YL22-1012
12W



RGB REMOTE LIGHTING REMOTE REMOTED DOORBELL

<p>IP20</p> <p>RGB REMOTE YL27-0600</p> <p>6A</p> <p>12 V</p> <p>6,7 kg</p> <p>100 Pcs.</p> <p>43x32x22</p> <p>72W</p> 	<p>IP20</p> <p>RGB REMOTE YL27-3600</p> <p>36A</p> <p>12-24 V</p> <p>4,5 kg</p> <p>50 Pcs.</p> <p>39x38x14</p> <p>432W</p> 	<p>IP20</p> <p>SLIM TOUCH RGB REMOTE YL27-3601</p> <p>36A</p> <p>12-24 V</p> <p>4,8 kg</p> <p>50 Pcs.</p> <p>39x38x14</p> <p>432W</p> 	
<p>IP20</p> <p>RGB REMOTE YL27-3610</p> <p>36A</p> <p>12-24 V</p> <p>5 kg</p> <p>50 Pcs.</p> <p>39x38x14</p> <p>432W</p> <p>NEW</p> 	<p>IP20</p> <p>RGB REPEATER YL26-0036</p> <p>36A</p> <p>12-24 V</p> <p>11,5 kg</p> <p>100 Pcs.</p> <p>42x26x37,5</p> <p>432W</p> 	<p>IP20</p> <p>TOUCH DIMMER REMOTE YL25-3600</p> <p>36A</p> <p>12-24 V</p> <p>10,1 kg</p> <p>100 Pcs.</p> <p>44x39x23</p> <p>432W</p> 	<p>IP20</p> <p>MINI RGB REMOTE YL27-1201</p> <p>12A</p> <p>5-24 V</p> <p>7 kg</p> <p>250 Pcs.</p> <p>43x32x22</p> <p>144W</p> 
<p>3 CHANNEL YL27-1003</p> <p>3x1000W</p> <p>220 V</p> <p>100 Pcs.</p> <p>13,3 kg</p> <p>68x29x33</p> <p>3x1000W GRADE WITH CONTACTOR 3x100W GRADE WITHOUT CONTACTOR</p> 	<p>4 CHANNEL YL27-1004</p> <p>4x1000W</p> <p>220 V</p> <p>100 Pcs.</p> <p>13,3 kg</p> <p>68x29x33</p> <p>4x1000W GRADE WITH CONTACTOR 4x100W GRADE WITHOUT CONTACTOR</p> 	<p>5 CHANNEL YL27-1005</p> <p>5x1000W</p> <p>220 V</p> <p>100 Pcs.</p> <p>13,3 kg</p> <p>68x29x33</p> <p>5x1000W GRADE WITH CONTACTOR 5x100W GRADE WITHOUT CONTACTOR</p> 	<p>6 CHANNEL YL27-1006</p> <p>6x1000W</p> <p>220 V</p> <p>100 Pcs.</p> <p>13,3 kg</p> <p>68x29x33</p> <p>6x1000W GRADE WITH CONTACTOR 6x100W GRADE WITHOUT CONTACTOR</p> 
<p>100m</p> <p>CIAO DOORBELL YL03-2501</p> <p>RF</p> <p>IP20</p> <p>50 Pcs.</p> <p>11,5 kg</p> <p>45x28,5x29</p> <p>36 Melody Options</p> 	<p>100m</p> <p>DOORBELL YL03-1001</p> <p>NEW</p> <p>RF</p> <p>IP20</p> <p>60 Ad.</p> <p>11,5 kg</p> <p>45x28,5x29</p> <p>36 Melody Options</p> 	<p>100m</p> <p>DOORBELL YL03-2001</p> <p>NEW</p> <p>RF</p> <p>IP20</p> <p>60 Pcs.</p> <p>11,5 kg</p> <p>45x28,5x29</p> <p>36 Melody Options</p> 	<p>100m</p> <p>DOORBELL YL03-3001</p> <p>NEW</p> <p>RF</p> <p>IP20</p> <p>60 Pcs.</p> <p>11,5 kg</p> <p>45x28,5x29</p> <p>36 Melody Options</p> 
<p>100m</p> <p>DOORBELL YL03-4001</p> <p>NEW</p> <p>RF</p> <p>IP20</p> <p>60 Pcs.</p> <p>11,5 kg</p> <p>50x26x37</p> <p>36 Melody Options</p> 	<p>100m</p> <p>KINETIC ENERGY CONTROL DOORBELL YL03-5001</p> <p>NEW</p> <p>RF</p> <p>IP44</p> <p>60 Pcs.</p> <p>11,5 kg</p> <p>45,5x45x33,5</p> <p>220 V</p> <p>36 Melody Options</p> 	<p>100m</p> <p>KINETIC ENERGY CONTROL DOORBELL YL03-6001</p> <p>NEW</p> <p>RF</p> <p>IP44</p> <p>60 Pcs.</p> <p>11,5 kg</p> <p>45x28,5x29</p> <p>220 V</p> <p>36 Melody Options</p> 	

RECHARGEABLE TABLE LAMP

<p>IP20</p> <p>6 kg</p> <p>20 Pcs.</p> <p>52,5x21,5x49</p> <p>95 mm 236 mm</p>	<p>ATİNA (GOLD) YL86-1230</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K AMBER 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>	<p>IP20</p> <p>6 kg</p> <p>20 Pcs.</p> <p>52,5x21,5x49</p> <p>95 mm 236 mm</p>	<p>ATİNA (BRONZE) YL86-1231</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K AMBER 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>	<p>IP20</p> <p>14 kg</p> <p>20 Pcs.</p> <p>64,5x26,5x49</p> <p>120 mm 233 mm</p>	<p>SANTORİNİ YL86-1235</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K 4000K 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>
<p>IP20</p> <p>12 kg</p> <p>30 Pcs.</p> <p>52x32x50</p> <p>200 mm 116 mm</p>	<p>RODOS YL86-0647</p> <p>NEW</p>  <p>2400K</p> <p>HAND MOVE ON/OFF CONTROL</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>	<p>IP20</p> <p>9 kg</p> <p>20 Pcs.</p> <p>52x32x50</p> <p>130 mm 285 mm</p>	<p>KOS YL86-1241</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K 4000K 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p> <p>BLACK GOLD BRONZE</p>	<p>IP20</p> <p>11,5 kg</p> <p>20 Pcs.</p> <p>52x32x50</p> <p>90 mm 175 mm</p>	<p>HALKİ YL86-1244</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K 4000K 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p> <p>SILVER GOLD BLACK</p>
<p>IP20</p> <p>7 kg</p> <p>20 Pcs.</p> <p>67x27,5x44</p> <p>125 mm 200 mm</p>	<p>GİRİT (GOLD) YL86-1234</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K AMBER 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>	<p>IP20</p> <p>7 kg</p> <p>20 Pcs.</p> <p>67x27,5x44</p> <p>125 mm 200 mm</p>	<p>GİRİT (BRONZE) YL86-1233</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K AMBER 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>	<p>IP20</p> <p>6,5 kg</p> <p>20 Pcs.</p> <p>52,5x21,5x49</p> <p>90 mm 217 mm</p>	<p>SAMOS YL86-1232</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K AMBER 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>
<p>IP20</p> <p>15 kg</p> <p>20 Pcs.</p> <p>45x36x37,5</p> <p>80 mm 340 mm</p>	<p>MİDİLLİ (BLACK) YL86-1236</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K 4000K 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>	<p>IP20</p> <p>15 kg</p> <p>20 Pcs.</p> <p>45x36x37,5</p> <p>80 mm 340 mm</p>	<p>MİDİLLİ (GOLD) YL86-1237</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K 4000K 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>	<p>IP20</p> <p>15 kg</p> <p>20 Pcs.</p> <p>45x36x37,5</p> <p>80 mm 340 mm</p>	<p>MİDİLLİ (WHITE) YL86-1238</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K 4000K 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>
<p>IP20</p> <p>19,2 kg</p> <p>24 Pcs.</p> <p>54,5x49,5x52</p> <p>150 mm 150 mm</p>	<p>simi YL86-1240</p> <p>NEW</p>  <p>RGB</p> <p>WIRELESS CHARGE</p> <p>CLOCK ALARM</p> <p>TYPE-C</p> <p>BLUETOOTH LOUDSPEAKER</p> <p>RECHARGEABLE BATTERY LIFE</p>	<p>IP20</p> <p>7,2 kg</p> <p>16 Pcs.</p> <p>62x32x58</p> <p>120 mm 230 mm</p>	<p>SELANİK YL86-1239</p> <p>NEW</p>  <p>ADJUSTABLE COLOR MODE 6500K 4000K 3200K</p> <p>RECHARGEABLE BATTERY LIFE</p> <p>TOUCH OPERATED</p> <p>DIMMABLE</p> <p>TYPE-C</p>	<p>IP20</p> <p>220 V</p> <p>E27</p> <p>10 Pcs.</p> <p>14,15 kg</p> <p>74x42,5x29,5</p>	<p>KÖLN YL86-1310</p> <p>NEW</p>  <p>BLACK WHITE</p> <p>MOUNTING ON DESK APARATUS INCLUDED</p>

LED SEARCHLIGHT · FLASHLIGHT EXIT

IP20 **DATÇA 30 LED FLOODLIGHT**
YL05-1001

NEW

220 V

195 LUMEN

40 Pcs.

36,5x41,5x38,5

7,7 kg

RECHARGEABLE

6500K

36,8 mm

330 mm



IP20 **DATÇA 60 LED FLOODLIGHT (WIRED)**
YL05-1011

NEW

220 V

405 LUMEN

20 Pcs.

37,5x30,5x23

7,7 kg

RECHARGEABLE

6500K

36,8 mm

500 mm



IP20 **DATÇA 90 LED FLOODLIGHT (WIRED)**
YL05-1021

NEW

220 V

610 LUMEN

15 Pcs.

37,5x30,5x23

7,7 kg

RECHARGEABLE

6500K

36,8 mm

500 mm



IP44 **MİLAS LED FLASHLIGHT**
YL05-2011

320 LUMEN

20 Pcs.

63,5x22x54

19,6 kg

RECHARGEABLE

CREE LED

TYPE-C

DIMMABLE

6500K

116 mm

200 mm



IP20 **YAKAMOZ LED SAILOR'S LIGHT**
YL05-2001

560 LUMEN

20 Pcs.

62x25,5x43

9,7 kg

RECHARGEABLE

TYPE-C

DIMMABLE

6500K

116,8 mm

190 mm



IP20 **SÖĞÜT 80 LED SEARCHLIGHT**
YL05-3001

480 LUMEN

30 Pcs.

41,5x25,5x40,5

9,7 kg

RECHARGEABLE

DIMMABLE

6500K

36 mm

307 mm

56 mm



IP44 **SEREN LED HEADLIGHT**
YL05-2021

50 LUMEN

60 Pcs.

43,5x24x26

9,2 kg

RECHARGEABLE

CREE LED

TYPE-C

DIMMABLE

6500K

80 mm

40 mm



IP44 **POLİS LED FLASHLIGHT**
YL05-2031

240 LUMEN

240 Pcs.

49x32x40

20 kg

RECHARGEABLE

CREE LED

FLASH

ZOOM

TYPE-C

COB RUN MODE

6500K

90 mm



IP44 **BİTEZ LED SOLAR FLASHLIGHT**
YL05-7000

300 LUMEN

60 Pcs.

70x43,5x41

25 kg

RECHARGEABLE

TYPE-C

SOLAR ENERGY

6500K

130 mm

191 mm



IP20 **EXIT**
YLX-1003

220 V

20 Pcs.

38,5x34,5x31

12 kg

VERİTABLE BATTERY LIFE

3 HOURS RUN TIME

6500K

355 mm

100 mm

18 mm



IP20 **EXIT**
YLX-2003

220 V

20 Pcs.

38,5x34,5x31

12 kg

VERİTABLE BATTERY LIFE

3 HOURS RUN TIME

6500K

355 mm

100 mm

18 mm



IP20 **EXIT**
YLX-3003

220 V

20 Pcs.

38,5x34,5x31

12 kg

VERİTABLE BATTERY LIFE

3 HOURS RUN TIME

6500K

355 mm

100 mm

18 mm



LED GARDEN LUMINAIRE

LED SOLAR GARDEN LUMINAIRE

SCONCE

<p>IP64</p> <p>GARDEN LUMINAIRE YL74-0501</p> <p>5W</p> <p>6500K 3200K GREEN AMBER</p> <p>220 V</p> <p>450 LUMEN</p> <p>50 Pcs.</p> <p>40x35x35</p> <p>9,6 kg</p> <p>235 mm</p> 	<p>IP64</p> <p>GARDEN LUMINAIRE YL74-1002</p> <p>10W</p> <p>3200K GREEN AMBER</p> <p>220 V</p> <p>900 LUMEN</p> <p>30 Pcs.</p> <p>40x35x35</p> <p>9,6 kg</p> <p>235 mm</p> 	<p>IP64</p> <p>SOLAR GARDEN LUMINAIRE YL74-0701-S</p> <p>7W</p> <p>6500K 3200K AMBER GREEN BLUE</p> <p>105 LUMEN</p> <p>20 Pcs.</p> <p>77,5x42,5x23</p> <p>8,6 kg</p> <p>405 mm</p> 	<p>IP64</p> <p>SOLAR GARDEN LUMINAIRE YL74-1502-S</p> <p>15W</p> <p>3200K GREEN AMBER</p> <p>150 LUMEN</p> <p>20 Pcs.</p> <p>64,5x34x27,5</p> <p>7,4 kg</p> <p>395 mm</p> <p>RGB</p> 
<p>IP64</p> <p>VENUS SET TOP YL74-0030-S</p> <p>30W</p> <p>6500K 3200K</p> <p>450 LUMEN</p> <p>10 Pcs.</p> <p>84x37x42</p> <p>11,6 kg</p> <p>215 mm</p> <p>VERITABLE BATTERY LIFE</p> 	<p>IP64</p> <p>VENUS SCONCE YL74-0130-S</p> <p>30W</p> <p>6500K 3200K</p> <p>450 LUMEN</p> <p>10 Pcs.</p> <p>84x37x42</p> <p>12,6 kg</p> <p>160 mm</p> <p>215 mm</p> <p>VERITABLE BATTERY LIFE</p> 	<p>IP64</p> <p>VENUS PILLAR LUMINAIRE YL74-1130-S</p> <p>30W</p> <p>6500K 3200K</p> <p>450 LUMEN</p> <p>10 Pcs.</p> <p>84x37x42</p> <p>14,2 kg</p> <p>160 mm</p> <p>670 mm</p> <p>VERITABLE BATTERY LIFE</p> 	<p>IP64</p> <p>MARS SET TOP YL74-7500-S</p> <p>75W</p> <p>6500K 3200K</p> <p>1125 LUMEN</p> <p>15 Pcs.</p> <p>63,5x43x65</p> <p>20,3 kg</p> <p>200 mm</p> <p>190 mm</p> <p>VERITABLE BATTERY LIFE</p> 
<p>IP64</p> <p>MIRANDA YL74-1021-S</p> <p>7W</p> <p>3200K</p> <p>560 LUMEN</p> <p>108 Pcs.</p> <p>60,5x42,5x54</p> <p>23 kg</p> <p>115 mm</p> <p>100 mm</p> <p>VERITABLE BATTERY LIFE</p> 	<p>IP64</p> <p>ARIEL YL74-1011-S</p> <p>15W</p> <p>6500K 3200K</p> <p>1200 LUMEN</p> <p>20 Pcs.</p> <p>67x34,5x33</p> <p>9,8 kg</p> <p>160 mm</p> <p>165 mm</p> <p>2 DIFFERENT MOUNTING APPARATUS</p> <p>VERITABLE BATTERY LIFE</p> 	<p>IP64</p> <p>QUA YL84-3001-S</p> <p>5W</p> <p>3200K</p> <p>400 LUMEN</p> <p>144 Pcs.</p> <p>48,5x28x40</p> <p>13 kg</p> <p>60 mm</p> <p>VERITABLE BATTERY LIFE</p> 	<p>IP64</p> <p>MIMAS YL84-8001-S</p> <p>5W</p> <p>3200K</p> <p>400 LUMEN</p> <p>240 Pcs.</p> <p>38,5x38,5x42,5</p> <p>16,5 kg</p> <p>100 mm</p> <p>VERITABLE BATTERY LIFE</p> 
<p>IP64</p> <p>TITAN YL84-1001-S</p> <p>50W</p> <p>6500K</p> <p>4000 LUMEN</p> <p>100 Pcs.</p> <p>57x32x52</p> <p>17,5 kg</p> <p>133 mm</p> <p>100 mm</p> <p>VERITABLE BATTERY LIFE</p> <p>SENSOR</p> 	<p>IP64</p> <p>NEPTÜN YL84-2001-S</p> <p>20W</p> <p>6500K</p> <p>1600 LUMEN</p> <p>100 Pcs.</p> <p>53x29x53</p> <p>14,5 kg</p> <p>75 mm</p> <p>VERITABLE BATTERY LIFE</p> <p>SENSOR</p> 	<p>IP64</p> <p>MERKÜR YL74-3301-S</p> <p>30W</p> <p>3200K</p> <p>2400 LUMEN</p> <p>40 Pcs.</p> <p>44x34,5x44</p> <p>13,5 kg</p> <p>205 mm</p> <p>61 mm</p> <p>VERITABLE BATTERY LIFE</p> 	

LED OUTDOOR SCONCE

<ul style="list-style-type: none"> IP44 220 V 540 LUMEN 60 Pcs. 51,5x29,5x38 11,2 kg 	<p>EFES 3+3 YL83-1012</p> <p>6W</p> <p>3200K AMBER</p>  	<ul style="list-style-type: none"> IP44 220 V 720 LUMEN 60 Pcs. 51,5x28,5x45 15,6 kg 	<p>EFES 4+4 YL83-1062</p> <p>8W</p> <p>3200K</p>  	<ul style="list-style-type: none"> IP44 220 V 540 LUMEN 50 Pcs. 46x39,5x33,5 9,75 kg 	<p>ZEUGMA YL83-6002</p> <p>6W</p> <p>3200K</p>  		
<ul style="list-style-type: none"> IP44 220 V GU10 50 Pcs. 42x38x34 17,8 kg 	<p>PERGE (EMPTY CASE) YL83-1022</p>  	<ul style="list-style-type: none"> IP44 220 V 640 LUMEN 50 Pcs. 44,5x33x44,5 30 kg 	<p>MİRA YL83-1032</p> <p>8W</p> <p>3200K</p>  	<ul style="list-style-type: none"> IP44 220 V 480 LUMEN 30 Pcs. 48,5x22,5x44 5,4 kg 	<p>PATARA YL83-1002</p> <p>6W</p> <p>3200K</p>  		
<ul style="list-style-type: none"> IP44 220 V 540 LUMEN 30 Pcs. 62x38,5x26,5 7,7 kg 	<p>BERGAMA YL83-1042</p> <p>6W</p> <p>3200K</p>   <p>CREE LED</p>	<ul style="list-style-type: none"> IP20 220 V 900 LUMEN 50 Pcs. 57x24x57 8,5 kg 	<p>ASSOS YL83-6012</p> <p>10W</p> <p>3200K</p>   <p>ADJUSTABLE LIGHT ANGLE</p>	<ul style="list-style-type: none"> IP44 220 V 1350 LUMEN 20 Pcs. 40x29x30 13,2 kg 	<ul style="list-style-type: none"> IP44 220 V 1350 LUMEN 20 Pcs. 53x35,5x53 15 kg 	<p>ASPENDOS YL83-5002</p> <p>15W</p> <p>3200K</p>  	<p>KNİDOS YL83-2022</p> <p>15W</p> <p>3200K</p>  
<ul style="list-style-type: none"> IP44 220 V 900 LUMEN 20 Pcs. 57x34x60 17 kg 	<p>TROYA YL83-2002</p> <p>10W</p> <p>3200K</p>  	<ul style="list-style-type: none"> IP44 220 V 900 LUMEN 20 Ad. 57x34x60 18,8 kg 	<p>OLİMPUS YL83-2012</p> <p>10W</p> <p>3200K</p>  	<ul style="list-style-type: none"> IP44 220 V 1080 LUMEN 20 Pcs. 65x43,5x36 15,5 kg 	<ul style="list-style-type: none"> IP44 220 V 360 LUMEN 50 Pcs. 47,5x36,5x20,5 7 kg 	<p>PERGAMON YL83-2032</p> <p>12W</p> <p>3200K</p>  	<p>ALİNDİA YL83-1052</p> <p>4W</p> <p>3200K</p>  

LED LINEAR LED WALLWASHER

120 CM LED LINEAR LUMINAIRE
YL76-1210

50W

6500K 3200K

IP20

220V

4500 LUMEN

55x122x10

10 Pcs.

1200 mm

100 mm

OPTIONS FOR RECESSED AND SURFACE MOUNTING

120 CM LED LINEAR LUMINAIRE
YL76-1220

75W

6500K 3200K

IP20

220V

6750 LUMEN

42x122x22,5

10 Pcs.

1200 mm

200 mm

OPTIONS FOR RECESSED AND SURFACE MOUNTING

HONEYCOMB LED LINEAR LUMINAIRE
YL76-1360

360W

6500K

IP20

220V

32400 LUMEN

1 Pcs.

450mm

35mm

20mm

10 CM WALLWASHER
YL79-0301

3W

6500K 3200K BLUE
GREEN AMBER

IP65

220V

270 LUMEN

1 Pcs.

20 CM WALLWASHER
YL79-0601

6W

6500K 3200K BLUE
GREEN AMBER

IP65

220V

540 LUMEN

1 Pcs.

30 CM WALLWASHER
YL79-0901

9W

6500K 3200K BLUE
GREEN AMBER

IP65

220V

810 LUMEN

1 Pcs.

35 CM WALLWASHER
YL79-1201

12W

6500K 3200K BLUE
GREEN AMBER

IP65

220V

1080 LUMEN

1 Pcs.

50 CM WALLWASHER
YL79-1801

18W

6500K 3200K BLUE
GREEN AMBER

IP65

220V

1620 LUMEN

1 Pcs.

100 CM WALLWASHER
YL79-3601

36W

6500K 3200K BLUE
GREEN AMBER

IP65

220V

3240 LUMEN

1 Pcs.



www.noas.com.tr